



U.S. Micro-Solutions, Inc.

302 Unity Plaza
Latrobe, PA 15650
P: 724-853-4047 F: 724-853-4049
supplies@usmslab.com



LEGIONELLA / WATER TEST REQUEST - CHAIN OF CUSTODY

CUSTOMER NAME:	PHONE #:	FAX #:
----------------	----------	--------

ADDRESS:	CITY:	STATE:	ZIP:
----------	-------	--------	------

ATTENTION TO:	E-MAIL:
---------------	---------

SAMPLE OBTAINED BY:	RESULTS: <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL	SAMPLE TYPE	POTABLE WATER	TEST TYPE	LAB USE ONLY
---------------------	--	--------------------	----------------------	------------------	---------------------

PROJECT NAME/NUMBER:	PO#	WATER	SWAB	YES	NO	LEGIONELLA	Heterotrophic Plate Count	Chlorine (ppm)	Temperature (°C)
----------------------	-----	--------------	-------------	------------	-----------	-------------------	----------------------------------	-----------------------	-------------------------

# SAMPLES:	Samples collected in New York state? <input type="checkbox"/> Yes <input type="checkbox"/> No
------------	---

SAMPLE NUMBER	SAMPLE DATE / TIME	SAMPLE LOCATION AND DESCRIPTION	WATER	SWAB	YES	NO	LEGIONELLA	Heterotrophic Plate Count	Chlorine (ppm)	Temperature (°C)

RELINQUISHED BY – CUSTOMER (MUST SIGN)	DATE AND TIME	Analyst Initials
--	---------------	------------------

RECEIVED BY – LAB USE ONLY	DATE AND TIME	LABORATORY NUMBER
----------------------------	---------------	-------------------



U.S. Micro-Solutions, Inc.

302 Unity Plaza
Latrobe, PA 15650
P: 724-853-4047 : 724-853-4049
supplies@usmslab.com



LEGIONELLA / WATER TEST REQUEST - CHAIN OF CUSTODY Additional Samples

CUSTOMER NAME:			SAMPLE TYPE		POTABLE WATER		TEST TYPE			LAB USE ONLY	
PROJECT NAME/NUMBER:			WATER	SWAB	YES	NO	LEGIONELLA	Heterotrophic Plate Count		Chlorine (ppm)	Temperature (°C)
SAMPLE NUMBER	SAMPLE DATE / TIME	SAMPLE LOCATION AND DESCRIPTION									
RECEIVED BY – LAB USE ONLY			DATE AND TIME			LABORATORY NUMBER:			Analyst Initials		



U.S. Micro-Solutions, Inc.

302 Unity Plaza
Latrobe, PA 15650
P: 724-853-4047 F: 724-853-4049
supplies@usmslab.com



LEGIONELLA / WATER TEST REQUEST - CHAIN OF CUSTODY Additional Samples

CUSTOMER NAME:			SAMPLE TYPE		POTABLE WATER		TEST TYPE			LAB USE ONLY	
PROJECT NAME/NUMBER:			WATER	SWAB	YES	NO	LEGIONELLA	Heterotrophic Plate Count		Chlorine (ppm)	Temperature (°C)
SAMPLE NUMBER	SAMPLE DATE / TIME	SAMPLE LOCATION AND DESCRIPTION									
RECEIVED BY – LAB USE ONLY			DATE AND TIME			LABORATORY NUMBER:					Analyst Initials